


GERDA®

EUROPEAN SECURITY ENTRY DOORS



BURGLAR PROOF HARDWARE AND TECHNOLOGIES

NEW DESIGN AND COLOR OPTIONS

HIGHEST QUALITY STANDARDS OF WORKMANSHIP



ENTRY DOORS TORONTO INC.

Quality is not an act, it is a habit!

tedee PRO

powered by GERDA®

TURN YOUR SMARTPHONE INTO A SMART DOOR LOCK



OPEN DOORS WITH YOUR SMARTPHONE

Open and close doors and monitor door lock status from any place around the world. With the automatic opening feature, you don't need to take your phone out from your purse or pocket. The lock will detect your presence and let you in. The self-locking feature works based on the same principle.

SET

tedee PRO SMARTLOCK + tedee BRIDGE + CLASS 6 LOCK CYLINDER

HIGH-PERFORMANCE BATTERY

Gerda engineers, in collaboration with the South Korean Research Institute, have developed a small dedicated high-performance battery. It powers the mechanism for six months of operation. And when in need of recharging, the lock will let you know as you can charge the battery overnight.

SAFETY WARRANTY

The lock actuating mechanism is an innovative, patented design developed by Gerda engineers. The software was created by Tedee IoT experts. An intuitive app lets you keep track of who and when has locked or unlocked the door. It also offers a virtual key allocation feature.



CLASS 6 LOCK CYLINDERS INCLUDED

- ✓ ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

- ✓ SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP

- ✓ DOWNLOAD THE **tedee** APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUE-TOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



CONNECT THE BRIDGE

- ✓ FIND A FREE POWER SOCKET NEXT TO THE **tedee** LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

TERRA

colour range of laminates



The available range of 20 laminate colours can be found on page 92 of the Catalogue, in the visual configurator and in the Showrooms.

The range of 30 lacquered RAL colours is available in the visual configurator and in the Showrooms.


INSPIRING



NEW
GERDA

GALA

colour range of RAL powder coatings



NIMBUS
fine texture metallics

SILVER SPARKLE
fine texture metallics

BLACK GREY
fine texture metallics

MIDNIGHT
fine texture metallics


NEW
GERDA

GALACTICA

colour range of fine texture metallics powder coatings

COLOURS

A range of 25 metallics and 24 3D-effect powder coating colours is available in the visual configurator and in the Showrooms.



ROSSO 3601
fine texture 3D metallics

AZZURRO 3603
fine texture 3D metallics

MARRONE 3606
fine texture 3D metallics

MICA 3602
fine texture 3D metallics

NEW
GERDA

INTERGALACTICA

colour range of fine texture 3D metallics powder coatings



VIDAR 2
CROSS LINE



FARGO 2
CROSS LINE



THUN 2
QUADRO



HAMBURG
QUADRO



JENA 5
QUADRO

PRAGA




ALUMINIUM DOOR PLATES PRAGA WITH CYLINDER PROTECTION

available for all door series

High security and universal design go hand in hand!

Since its launch, the PRAGA aluminium backplate has been increasingly popular. In response to the needs of users, we are adding to the offer backplate with cylinder protection. The option is available in the full product range of PRAGA backplates.

An additional advantage of the backplate with protection, apart from the protection against drilling the cylinder, is the smooth



PLATINUM ANODE



SILVER ANODE



BLACK ANODE

adjustment to the size of the cylinders in the range of ± 5 mm. It ensures that the face of the insert adheres to the backplate, without unnecessary mounting clearances.

PRAGA backplates with protection are available in brushed and anodized aluminum colours: platinum, silver and black.


CROSS LINE N

We introduce a new door line - CROSS LINE, with two new models. The narrow-roller door leaf embossing technology used here has made it possible to create elegant linear designs. More designs coming soon!



AIR GLASS / QUADRO

Transparent AIR GLASS gives a unique look to the entire door. The technology of combining the glass with the QUADRO insert is patented. The QUADRO insert, made of stainless steel, is fixed on the plane of the door permanently on metal hooks.



ELITE 3D

Decorative frames in the doors of the ELITE 3D series are attached to the leaf with special hooks.




TEMPO

TEMPO designs are a classic combination of practicality, functionality and simplicity of application shapes. Applications use with glazing are available in black or inox colours. Applications are glued to the door surface or debossed.




CLASSIC


The CLASSIC series includes a family of doors with decorative deep embossing of the leaf. Among the available designs are glazed and full doors, which gives a lot of freedom of choice. As a special order option, Gerda also introduces deep stamping on the outside of the leaf.



NARROW-ROLLER LEAF EMBOSSING TECHNOLOGY CROSS LINE



AIR GLASS BETWEEN QUADRO INSERTS



INSERT QUADRO INSTALLATION



DEEP DEBOSSING

THERMAL INSULATION

Heat transfer coefficient (U_D) indicates the amount of thermal energy passing through the door (including the door frame). Based on this coefficient, we are able to determine the heat loss for a given division. Even a slight loss translates to higher heating costs. The coefficient value depends on the type and thickness of the door's material. Gerda HOUSE DOORS comply with the current standards by using modern technologies and steel-wooden or aluminum door frames.

Gerda doors, depending on the components used, may have different insulation coefficient levels:

- insulation doors
- energy-saving doors
- passive doors

Energy-saving Thermo Premium doors have a coefficient starting from $0.9 \text{ W/m}^2\text{K}$ - $0.75 \text{ W/m}^2\text{K}$ with a warm aluminum ALUTHERM door frame (with thermal chamber filling and a seal) and $1.0 \text{ W/m}^2\text{K}$ - $0.85 \text{ W/m}^2\text{K}$ with DUOTHERM (warm steel-wooden door frame with thermal perforation and seal).

Passive doors are primarily meant to ensure maximum conservation of energy, while increasing the comfort of living. They allow for energy accumulation in the room, which leads to direct savings. Thermo Premium 75 doors feature a heat transfer coefficient from $0.79 \text{ W/m}^2\text{K}$. The heat transfer coefficient applies to solid doors with a warm aluminum ALUTHERM door frame.



RESISTANCE TO BURGLARY

This parameter is decisive for the so-called anti-burglary doors. Such doors have a solid structure that significantly impedes the possibility to cut out an opening through the door, preventing un-authorized entrance. As a standard, GERDA doors are fitted with two robust locks with a multi-point bolting system.

Their key element are anti-prizing bolts that prevent forcing the door leaf or lifting it off the hinges. GERDA doors are tested for resistance to burglary and hold an anti-burglary protection class from RC2 to RC3. The higher the class of doors installed, the greater the safety of people and property in the house.

RC2 CLASS

- PLIERS
- WEDGE
- HAMMER

RC3 CLASS






- STEEL PRY BAR
- WEDGE
- HAMMER
- MECHANICAL DRILL

RC4 CLASS

- HEAVY HAMMER
- AXE
- CHISEL
- BIT
- HAMMER DRILL



 **THERMO PRIME 75**

UD	THERMAL INSULATION U _f VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 75 DOOR FRAME SOLID DOOR 0,79 W/m²K GLAZED DOOR 0,9 W/m²K
RC	RESISTANCE CLASS	RC2
 mm	LEAF THICKNESS	75 mm
	DOOR SIZES	80 · 90N · 90E · 100E*
	DESIGN LINES	N CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO
	LEAF STRUCTURE	WOODEN FRAME + PUR FOAM
 mm	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm

$U_d = 0,79 / 0,9 \text{ W/m}^2\text{K}$



RC2

SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



Adjustable hook hitches




Adjustable pawl hitch



Hinges adjustable in three planes with caps matching hardware's colour




Door leaf with thermal division



ALUTHERM 75 door frame



Mortise lock: 5 point hooked or 3 point automatic




You can choose NEW long door plate PRAGA or split door plate BERGEN



Ring escutcheon for door with a handrail*



Composite connector of threshold with windstopper – for more info see page 9



ALUTHERM 75 door frame



4 sides rebated



Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Lower upstand brush seal PRIME



Fixed anti-prizing bolts



Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*









tedee PRO + bridge set*

* EXTRA CHARGE



 **THERMO PREMIUM 75**

UD	THERMAL INSULATION U _g VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 75 DOOR FRAME* SOLID DOOR 0,79 W/m ² K GLAZED DOOR 0,85 W/m ² K	DUOTHERM 75 DOOR FRAME SOLID DOOR 0,87 W/m ² K GLAZED DOOR 0,98 W/m ² K
RC	RESISTANCE CLASS	RC2 / RC3**	
 mm	LEAF THICKNESS	75 mm	
	DOOR SIZES	80 · 90N · 90E · 100E*	
	DESIGN LINES	 CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO	
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE	
 mm	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm	

**ALUTHERM 75* DOOR FRAME
SOLID DOOR / GLAZED DOOR**


**DUOTHERM 75 DOOR FRAME
SOLID DOOR / GLAZED DOOR**

$U_D = 0,79 / 0,85 \text{ W/m}^2\text{K}$

$U_D = 0,87 / 0,98 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)




You can choose NEW long door plate PRAGA or split door plate BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in three planes with caps matching hardware's colour



Adjustable pawl hitch



DUOTHERM 75 door frame



Auxiliary 3-bolt lock




Main 3-bolt lock



Mortise lock 3-point 2-hook



Mortise lock 3-point automatic



Door leaf with thermal division



Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*



ALUTHERM 75* door frame



DUOTHERM 75 door frame



Composite connector of threshold with windstopper – for more info see page 9



4 sides rebated








tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE



 **THERMO PREMIUM 60**

UD	THERMAL INSULATION U _f VALUES FOR INWARD-OPENING REFERENCE DOORS	ALUTHERM 60 DOOR FRAME* SOLID DOOR 0,86 W/m²K GLAZED DOOR 0,95 W/m²K	DUOTHERM 60 DOOR FRAME SOLID DOOR 0,94 W/m²K GLAZED DOOR 1,1 W/m²K
RC	RESISTANCE CLASS	RC2 / RC3**	
	LEAF THICKNESS	60 mm	
	DOOR SIZES	80 · 90N · 90E · 100E*	
	DESIGN LINES	N CROSS LINE · AIR GLASS · QUADRO · ELITE 3D · TEMPO	
	LEAF STRUCTURE	WOODEN FRAME + EXPANDED GRAPHITE POLYSTYRENE	
	DOOR TO SIZE	DOOR HEIGHT UP TO 2400 mm DOOR WIDTH UP TO 1130 mm	

ALUTHERM 60 DOOR FRAME*
SOLID DOOR / GLAZED DOOR


DUOTHERM 60 DOOR FRAME
SOLID DOOR / GLAZED DOOR

$U_D = 0,86 / 0,95 \text{ W/m}^2\text{K}$

$U_D = 0,94 / 1,1 \text{ W/m}^2\text{K}$

RC2 / RC3**


SET (DOOR LEAF, THRESHOLD, DOOR FRAME, HARDWARE WITH CLASS 5 LOCK CYLINDER, MOUNTING KIT)



You can choose NEW long door plate PRAGA or BERGEN




Class 5 lock cylinder, AB system: A – installer's keys + B – final user keys



Hinges adjustable in three planes with caps matching hardware's colour




Adjustable pawl hitch




DUOTHERM 60 door frame



Auxiliary 3-bolt lock




Main 3-bolt lock



Mortise lock 3-point 2-hook



Mortise lock 3-point automatic



Lower upstand brush seal




Fixed anti-prizing bolts




Warm aluminium with subthreshold extension, h=35 mm



GERDA RESIST ULTRA insulation duo tapes*




ALUTHERM 60* door frame



DUOTHERM 60 door frame



Composite connector of threshold with windstopper – for more info see page 9



4 sides rebated



tedee PRO + bridge set*

* EXTRA CHARGE

** FOR SOLID DOORS ONLY, EXTRA CHARGE

 THERMO PRIME

 THERMO PREMIUM

CROSS LINE



VIDAR 2

Page 24



FARGO 2

Page 24



BADEN 1

Page 26




BADEN 2

Page 26



AROSA 1

Page 26



AROSA 2

Page 26



LINZ 1

Page 28

AIR GLASS

QUADRO



LUCERNA B

Page 34



LOZANNA

Page 34



THUN

Page 34




THUN 2

Page 34



SION

Page 34



HAMBURG

Page 36



LOCARNO

Page 36



ONEX

Page 36



BAMBERG 1

Page 42



BAMBERG 2

Page 42



BAMBERG 3

Page 42



BAMBERG 4

Page 42



ULM 1

Page 44



ULM 2

Page 44



KRONACH 1

Page 52



KRONACH 2 B

Page 52



KRONACH 3

Page 52



KRONACH 4

Page 52



REGEN 1

Page 54



REGEN 2

Page 54



REGEN 3

Page 54

ELITE 3D

TEMPO



DAVOS

Page 58



BRIG

Page 58



OLTEN

Page 58



VISP

Page 58



TRIN

Page 58



BERNO

Page 58



MILANO 8

Page 60

 **THERMO PRIME**

 **THERMO PREMIUM**

AIR GLASS



LINZ 2

Page 28



LINZ 3 B

Page 28



GRAZ 1

Page 30



GRAZ 2

Page 30



GRAZ 3 B

Page 30



SALZBURG

Page 32



VILLACH B

Page 32

QUADRO



PASAWA 1

Page 38



PASAWA 2

Page 38



PASAWA 3

Page 38



PASAWA 4

Page 38



JENA 3

Page 40



JENA 4

Page 40



JENA 5

Page 40



TREWIR 1

Page 46



TREWIR 2

Page 46




TREWIR 3

Page 46



TREWIR 4

Page 46



DORFEN

Page 48



KASSEL 1

Page 50



KASSEL 2

Page 50



REGEN 4

Page 54




REGEN 5

Page 54



REGEN 6 B

Page 54



DREZNO 1

Page 56



DREZNO 4

Page 56



ERFURT 1 B

Page 56



ERFURT 2

Page 56

TEMPO



MILANO 9

Page 60



MILANO 10

Page 60



MILANO 11

Page 60



HANOVER 5 B

Page 62



HANOVER 6

Page 62



INNSBRUCK

Page 62



PLAIN

Page 64



CLB B VIDAR 2 B



CLE FARGO 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	OPTIMA 60	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
CLB VIDAR 2	✓	✓	✓	✓
CLB B VIDAR 2 B	✓	✓	✓	✓
CLE FARGO 2	✓	✓	✓	✓

RC2 STANDARD EQUIPMENT**


- GLAZED DOOR LEAF / SOLID DOOR LEAF
- T.PRIME, T.PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- EMBOSSED WITH A ROLLER
- DOUBLE-SIDED DESIGN
- T.PRIME, T.PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, h=35 mm
- OPTIMA – ALUMINIUM THRESHOLD
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	GALACTICA / GALA OPEN COLOUR RANGE
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	INTERGALACTICA COLOUR RANGE
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	TWO-COLOUR DOOR
ALUTHERM 75 DOOR FRAME	DOOR HEIGHT UP TO 2240 mm
ALUTHERM 60 DOOR FRAME	DOOR HEIGHT UP TO 2340 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	DOOR HEIGHT UP TO 2400 mm
3 POINT AUTOMATIC MORTISE LOCK	SIZE 100E
no extra charge	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	THERMO PREMIUM, THERMO PRIME – INTEGRATED CLOSER
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL 1800 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	ELECTRIC STRIKE RECOMMENDED 1700 mm
THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION	1500 mm
KNOB-HANDLE	1000 mm
REED SWITCH	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1800 mm
	1700 mm
	1500 mm
	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
	tedee PRO SET

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

GLASS



TERRA COLOUR RANGE






CLB VIDAR 2



CLB B VIDAR 2 B INTERNAL SIDE



CLE FARGO 2



CLE FARGO 2 INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

THERMO PREMIUM · OPTIMA

PRAGA

BERGEN

HANDLE-HANDLE

PRAGA

KNOB-HANDLE

PRAGA

BERGEN

HANDRAIL-HANDLE

PRAGA

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm


MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS

HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



AGK BADEN 1



AGL BADEN 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGK BADEN 1	✓	✓	✓
AGL BADEN 2	✓	✓	✓
AGM AROSA 1	✓	✓	✓
AGN AROSA 2	✓	✓	✓

RC2 STANDARD EQUIPMENT**

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
• 4 SIDES REBATED	• HARDWARE SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• FLUSH AIR GLASS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	



EXTRA CHARGES

N POWDER COATING		GALA COLOUR RANGE	
		GALACTICA / GALA OPEN COLOUR RANGE	
		INTERGALACTICA COLOUR RANGE	
		TWO-COLOUR DOOR	
ALUTHERM 75 DOOR FRAME, ALUTHERM 60 DOOR FRAME			1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	no extra charge	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK		ELECTRIC STRIKE RECOMMENDED	1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK			1000 mm
TWO-COLOUR DOOR, TERRA PALETTE		AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM			1700 mm
THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION		AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
KNOB-HANDLE		ELECTRIC STRIKE NECESSARY	1500 mm
REED SWITCH		ROSTOCK HANDRAIL	2000 mm
SIZE 100E		tedee PRO SET	
INTEGRATED CLOSER		THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE			

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101


GLASS

AIR GLASS




TERRA COLOUR RANGE


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT




GOLDEN OAK



WINCHESTER



TURNER OAK






AGM AROSA 1



AGM AROSA 1 INTERNAL SIDE



AGN AROSA 2



AGN AROSA 2 INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

BERGEN

BERGEN


BERGEN

BERGEN


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK


QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



AGB LINZ 1



AGC LINZ 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
AGB LINZ 1 / AGBB LINZ 1 B	✓	✓	✓	
AGC LINZ 2 / AGCB LINZ 2 B	✓	✓	✓	
AGD LINZ 3 / AGDB LINZ 3 B	✓	✓	✓	

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- AIR GLASS BETWEEN QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK


EXTRA CHARGES

N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED	1700 mm 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1000 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY	1700 mm 1500 mm
KNOB-HANDLE		
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	tedee PRO SET	
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101


GLASS

AIR GLASS




TERRA COLOUR RANGE


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





AGD LINZ 3



AGD LINZ 3 INTERNAL SIDE




AGDB LINZ 3 B




AGDB LINZ 3 B INTERNAL SIDE

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

PRAGA

BERGEN

KNOB-HANDLE

PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDRAIL-HANDLE

PRAGA

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



AGE GRAZ 1



AGF GRAZ 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGE GRAZ 1 / AGE B GRAZ 1 B	✓	✓	✓
AGF GRAZ 2 / AGFB GRAZ 2 B	✓	✓	✓
AGG GRAZ 3 / AGGB GRAZ 3 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- AIR GLASS BETWEEN QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK


EXTRA CHARGES

N POWDER COATING		GALA COLOUR RANGE	
		GALACTICA / GALA OPEN COLOUR RANGE	
		INTERGALACTICA COLOUR RANGE	
		TWO-COLOUR DOOR	
THERMO PREMIUM – ALUTHERM DOOR FRAME			1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	no extra charge	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK		ELECTRIC STRIKE RECOMMENDED	1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK			1000 mm
TWO-COLOUR DOOR, TERRA PALETTE		AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM			1700 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1500 mm
KNOB-HANDLE		ELECTRIC STRIKE NECESSARY	1000 mm
REED SWITCH		ROSTOCK HANDRAIL	1700 mm
SIZE 100E			1500 mm
INTEGRATED CLOSER		tedee PRO SET	2000 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101


GLASS

AIR GLASS




TERRA COLOUR RANGE


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT



GOLDEN OAK



WINCHESTER



TURNER OAK





AGGB GRAZ 3 B



AGGB GRAZ 3 B INTERNAL SIDE



AGF GRAZ 2



AGF GRAZ 2 INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDLE-HANDLE

KNOB-HANDLE

PRAGA


BERGEN

HANDRAIL-HANDLE


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK


QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



AGA SALZBURG



AGHB VILLACH B

DOOR SIZE SALZBURG	80	90N	90E	100E*
DOOR SIZE VILLACH	-	-	90E	100E*
DOOR HEIGHT SALZBURG (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
DOOR HEIGHT VILLACH (DUOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
AGA SALZBURG / AGAB SALZBURG B	✓	✓	✓
AGH VILLACH / AGHB VILLACH B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
• 4 SIDES REBATED	• HARDWARE SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• AIR GLASS BETWEEN QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	


EXTRA CHARGES

N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
VILLACH CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm	
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
no extra charge		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1800 mm
	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
TWO-COLOUR DOOR, TERRA PALETTE		1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
KNOB-HANDLE		
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	tedee PRO SET	
INTEGRATED CLOSER		
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90–91, FULL EQUIPMENT LIST: PAGES 94–101


GLASS

AIR GLASS




TERRA COLOUR RANGE


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT




GOLDEN OAK



WINCHESTER



TURNER OAK





AGA SALZBURG



AGA SALZBURG INTERNAL SIDE



AGH VILLACH



AGH VILLACH INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA


BERGEN

HANDRAIL-HANDLE PRAGA


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KP1 LUCERNA



KP2B LOZANNA B

DOOR SIZE LOZANNA, THUN, SION	80	90N	90E	100E*
DOOR SIZE LUCERNA	-	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KP1 LUCERNA / KP1B LUCERNA B	✓	✓	✓
KP2 LOZANNA / KP2B LOZANNA B	✓	✓	✓
KP3 THUN / KP3B THUN B	✓	✓	✓
KP6 THUN 2 / KP6B THUN 2 B	✓	✓	✓
KP4 SION / KP4B SION B	✓	✓	✓

RC2 STANDARD EQUIPMENT**


- SOLID DOOR
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES

N POWDER COATING	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB) GALA, GALA OPEN, GALACTICA, INTERGALACTICA	GALA COLOUR RANGE GALACTICA / GALA OPEN COLOUR RANGE INTERGALACTICA COLOUR RANGE TWO-COLOUR DOOR DOOR HEIGHT UP TO 2240 mm DOOR HEIGHT UP TO 2340 mm DOOR HEIGHT UP TO 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK	1800 mm AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	AMSTERDAM / MONTREAL 1800 mm HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT 1700 mm AND ELECTRIC STRIKE 1500 mm 1000 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM HANDRAIL 1700 mm WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1500 mm
RC3 PACK	ROSTOCK HANDRAIL 2000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	DOOR SHORTENING KP3, KP4, KP6 (10, 20, 30, 40 mm)
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	tedee PRO SET
KNOB-HANDLE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK
REED SWITCH	no extra charge
SIZE 100E	
INSERT – OPPOSITE SIDE	
INTEGRATED CLOSER	

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

TERRA COLOUR RANGE






KP3 THUN



KP6 THUN 2



KP4 SION



INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDLE-HANDLE

PRAGA

KNOB-HANDLE

PRAGA

BERGEN

HANDRAIL-HANDLE

PRAGA

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS

INOX 	BLACK 	QUADRO INSERTS ON SOLID DOORS	PLATINUM ANODE 	SILVER ANODE 	BLACK ANODE 	INOX ONLY FOR HANDRAILS
-----------------	------------------	---------------------------------------------	---------------------------	-------------------------	------------------------	---------------------------------------

TERRA COLOUR RANGE

LIGHT WENGE FEJ 	STEEL-GRAY FKZ 	DARK ANTHRACITE FKF 	WHITE FSB 	ANTHRACITE FKG 	BLACK FKC 	 MORE COLOURS ON PAGE 92
--------------------------------------	-------------------------------------	------------------------------------------	--------------------------------	-------------------------------------	--------------------------------	---------------------------------------

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



NEW
GERDA

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KVB HAMBURG / KVBB HAMBURG B	✓	✓	✓
KW9 LOCARNO / KW9B LOCARNO B	✓	✓	✓
KVA ONEX / KVAB ONEX B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

KVB HAMBURG

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1800 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
		1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
KNOB-HANDLE		
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)	
INTEGRATED CLOSER	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge




KW9 LOCARNO

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

GLASS



TERRA COLOUR RANGE





KW9B LOCARNO B



KVA ONEX



KVAB ONEX B



INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

BERGEN

BERGEN

BERGEN

BERGEN

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

ONLY FOR HANDRAILS

QUADRO INSERT COLOURS

HARDWARE COLOURS



INOX



BLACK



PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX




ONLY FOR HANDRAILS

TERRA COLOUR RANGE


LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE




WHITE



ANTHRACITE



BLACK



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KWA PASAWA 1



KWB PASAWA 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
KWA PASAWA 1 / KWAB PASAWA 1 B	✓	✓	✓	
KWB PASAWA 2 / KWBB PASAWA 2 B	✓	✓	✓	
KWC PASAWA 3 / KWCB PASAWA 3 B	✓	✓	✓	
KWD PASAWA 4 / KWDB PASAWA 4 B	✓	✓	✓	

RC2 STANDARD EQUIPMENT**


- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES


N POWDER COATING		
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME		
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)		
GALA, GALA OPEN, GALACTICA, INTERGALACTICA		
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	No extra charge	AMSTERDAM / MONTREAL HANDRAIL
3 POINT AUTOMATIC MORTISE LOCK		1700 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		ELECTRIC STRIKE RECOMMENDED
TWO-COLOUR DOOR, TERRA PALETTE		1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE
KNOB-HANDLE		1800 mm
REED SWITCH		1700 mm
SIZE 100E		1500 mm
INTEGRATED CLOSER		1000 mm
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON
		ELECTRIC STRIKE NECESSARY
		1700 mm
		1500 mm
		ROSTOCK HANDRAIL
		2000 mm
		DOOR SHORTENING
		KWA, KWB, KWC (10, 20, 30, 40 mm), KWD (10, 20, 30, 40, 60, 80, 100 mm)
		tedee PRO SET
		THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK
		No extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

GLASS



TERRA COLOUR RANGE





KwCB PASAWA 3 B



KwC PASAWA 3



KwD PASAWA 4



INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

BERGEN

BERGEN


BERGEN

BERGEN


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS



INOX



BLACK



PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE

LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE




WHITE



ANTHRACITE



BLACK



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



NEW
GERDA

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KW3 JENA 3	✓	✓	✓
KW4 JENA 4	✓	✓	✓
KW5 JENA 5	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES

N POWDER COATING	
CUSTOM HEIGHT, INCREMENTS EVERY 10 mm ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB) GALA, GALA OPEN, GALACTICA, INTERGALACTICA	GALA COLOUR RANGE GALACTICA / GALA OPEN COLOUR RANGE INTERGALACTICA COLOUR RANGE TWO-COLOUR DOOR DOOR WIDTH UP TO 1130 mm DOOR HEIGHT UP TO 2240 mm DOOR HEIGHT UP TO 2340 mm DOOR HEIGHT UP TO 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL 1700 mm ELECTRIC STRIKE RECOMMENDED 1500 mm 1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	1800 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm 1000 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON 1700 mm ELECTRIC STRIKE NECESSARY 1500 mm
KNOB-HANDLE	
REED SWITCH	ROSTOCK HANDRAIL 2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)
INTEGRATED CLOSER	tedee PRO SET
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK no extra charge


KW5 JENA 5




KW4 JENA 4

GLASS

FIXED GLAZED SIDE PANELS: PAGES 90–91, FULL EQUIPMENT LIST: PAGES 94–101



TERRA COLOUR RANGE





KW3 JENA 3



KW3 JENA 3 INTERNAL SIDE



KW4 JENA 4



KW4 JENA 4 INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

BERGEN

BERGEN

BERGEN

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE


LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE



WHITE



ANTHRACITE



BLACK



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KWF BAMBERG 1



KWG BAMBERG 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWF BAMBERG 1 / KWFB BAMBERG 1 B	✓	✓	✓
KWG BAMBERG 2 / KWGB BAMBERG 2 B	✓	✓	✓
KWH BAMBERG 3 / KWHB BAMBERG 3 B	✓	✓	✓
KWI BAMBERG 4 / KWIB BAMBERG 4 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**


<ul style="list-style-type: none"> GLAZED DOOR LEAF 4 SIDES REBATED THERMO PREMIUM – DUOTHERM DOOR FRAME THERMO PRIME – ALUTHERM 75 DOOR FRAME HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR QUADRO INSERTS GLASS UNDERNEATH THE DOOR PLANE SINGLE-SIDED DESIGN 	<ul style="list-style-type: none"> WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm HARDWARE SET T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE
	GALACTICA / GALA OPEN COLOUR RANGE
	INTERGALACTICA COLOUR RANGE
	TWO-COLOUR DOOR
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED
	1700 mm
	1500 mm
	1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	
	1800 mm
	1700 mm
	1500 mm
	1000 mm
TWO-COLOUR DOOR, TERRA PALETTE	
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	
	1700 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON
	ELECTRIC STRIKE NECESSARY
	1500 mm
KNOB-HANDLE	
	2000 mm
REED SWITCH	
	DOOR SHORTENING (10, 20, 30, 40 mm)
SIZE 100E	
	tedee PRO SET
INTEGRATED CLOSER	
	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	no extra charge

GLASS

FIXED GLAZED SIDE PANELS: PAGES 90–91, FULL EQUIPMENT LIST: PAGES 94–101



TERRA COLOUR RANGE





KWH BAMBERG 3



KWI BAMBERG 4



KWF BAMBERG 1



INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

BERGEN






HANDRAIL-HANDLE PRAGA

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK


QUADRO INSERT COLOURS

HARDWARE COLOURS



ONLY FOR HANDRAILS

TERRA COLOUR RANGE



MORE COLOURS ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KWJB ULM 1 B



KWK ULM 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWJ ULM 1 / KWJB ULM 1 B	✓	✓	-
KWK ULM 2 / KWKB ULM 2 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1800 mm
	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
TWO-COLOUR DOOR, TERRA PALETTE		1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
KNOB-HANDLE		
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
INTEGRATED CLOSER	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

GLASS



TERRA COLOUR RANGE





KWJ ULM 1



KWJ ULM 1 INTERNAL SIDE



KWK ULM 2



KWK ULM 2 INTERNAL SIDE

standard HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

extra charge HARDWARE

HANDLE-HANDLE



N

PRAGA

KNOB-HANDLE



N

PRAGA




BERGEN

HANDRAIL-HANDLE



N

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



QUADRO INSERT COLOURS

INOX



BLACK



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE

LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE



WHITE



ANTHRACITE



BLACK



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KWL TREWIR 1



KWMB TREWIR 2 B

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
KWL TREWIR 1 / KWL B TREWIR 1 B	✓	✓	✓	
KWM TREWIR 2 / KWMB TREWIR 2 B	✓	✓	✓	
KWN TREWIR 3 / KWN B TREWIR 3 B	✓	✓	✓	
KWP TREWIR 4 / KWP B TREWIR 4 B	✓	✓	✓	
KW7 TREWIR 7 / KW7 B TREWIR 7 B	✓	✓	✓	

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1800 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1500 mm
		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
KNOB-HANDLE	ELECTRIC STRIKE NECESSARY	1500 mm
REED SWITCH		
SIZE 100E	ROSTOCK HANDRAIL	2000 mm
INTEGRATED CLOSER	DOOR SHORTENING (10, 20, 30, 40 mm)	
	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

GLASS

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101



TERRA COLOUR RANGE





KWN TREWIR 3



KWP TREWIR 4



KW7 TREWIR 7



KWL TREWIR 1 INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA


BERGEN

HANDRAIL-HANDLE PRAGA


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KWSB DORFEN B



KWS DORFEN

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWS DORFEN / KWSB DORFEN B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

• GLAZED DOOR LEAF	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
• 4 SIDES REBATED	• HARDWARE SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• GLASS UNDERNEATH THE DOOR PLANE	
• SINGLE-SIDED DESIGN	

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
no extra charge		1000 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1800 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1500 mm
		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
KNOB-HANDLE	ELECTRIC STRIKE NECESSARY	1500 mm
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)	
INTEGRATED CLOSER	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

GLASS



TERRA COLOUR RANGE





KWT KASSEL 1



KWx KASSEL 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KWT KASSEL 1 / KWTB KASSEL 1 B	✓	✓	✓
KWx KASSEL 2 / KWxB KASSEL 2 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- GLAZED DOOR LEAF
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- GLASS UNDERNEATH THE DOOR PLANE
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES


N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1000 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1700 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1500 mm
KNOB-HANDLE	ELECTRIC STRIKE NECESSARY	1000 mm
REED SWITCH	ROSTOCK HANDRAIL	2000 mm
SIZE 100E	DOOR SHORTENING (10, 20, 30, 40 mm)	
INTEGRATED CLOSER	tedee PRO SET	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90–91, FULL EQUIPMENT LIST: PAGES 94–101

GLASS



TERRA COLOUR RANGE





KWXB KASSEL 2 B



KWXB KASSEL 2 B
INTERNAL SIDE




KWT KASSEL 1




KWT KASSEL 1
INTERNAL SIDE

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



MORE COLOURS
ON PAGE 92

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KPN KRONACH 1



KPPB KRONACH 2 B

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPN KRONACH 1 / KPNB KRONACH 1 B	✓	✓	✓
KPP KRONACH 2 / KPPB KRONACH 2 B	✓	✓	✓
KPT KRONACH 3 / KPTB KRONACH 3 B	✓	✓	-
KPZ KRONACH 4 / KPZB KRONACH 4 B	✓	✓	-

RC2 STANDARD EQUIPMENT**

- SOLID DOOR
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES

N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	no extra charge AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1000 mm
TWO-COLOUR DOOR, TERRA PALETTE		1800 mm
RC3 PACK	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	ROSTOCK HANDRAIL	2000 mm
INSERT AND APPLICATION – OPPOSITE SIDE	DOOR SHORTENING (10, 20, 30, 40 mm)	
INSERT – OPPOSITE SIDE	tedee PRO SET	
INTEGRATED CLOSER	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		


FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

TERRA COLOUR RANGE


ALPINE WALNUT	MAHOGANY	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	TURNER OAK
FRR	FMA	FRB	FRP	FDE	FDW	FDT




KPT KRONACH 3



KPZ KRONACH 4



KPN KRONACH 1



INTERNAL SIDE

standard HARDWARE RC2

HANDLE-HANDLE



PRAGA

THERMO PRIME



BERGEN



PRAGA

THERMO PREMIUM



BERGEN

extra charge HARDWARE

HANDLE-HANDLE



N

PRAGA

KNOB-HANDLE



N

PRAGA




BERGEN

HANDRAIL-HANDLE



N

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



MONTREAL

AMSTERDAM

ROSTOCK

QUADRO INSERT COLOURS

INOX



BLACK



QUADRO



INSERTS ON SOLID DOORS

HARDWARE COLOURS

PLATINUM ANODE




SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE

LIGHT WENGE



FEJ

STEEL-GRAY



FKZ

DARK ANTHRACITE



FKF

WHITE



FSB

ANTHRACITE



FKG

BLACK



FKC



MORE COLOURS ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KPJ REGEN 1



KPK REGEN 2

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			
MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75	
KPJ REGEN 1 / KPJB REGEN 1 B	✓	✓	✓	
KPK REGEN 2 / KPKB REGEN 2 B	✓	✓	✓	
KPL REGEN 3 / KPLB REGEN 3 B	✓	✓	✓	
KPS REGEN 4 / KPSB REGEN 4 B	✓	✓	✓	
KPM REGEN 5 / KPMB REGEN 5 B	✓	✓	✓	
KPR REGEN 6 / KPRB REGEN 6 B	✓	✓	✓	

RC2 STANDARD EQUIPMENT**


- SOLID DOOR
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- QUADRO INSERTS
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES

N POWDER COATING		
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB) GALA, GALA OPEN, GALACTICA, INTERGALACTICA		GALA COLOUR RANGE GALACTICA / GALA OPEN COLOUR RANGE INTERGALACTICA COLOUR RANGE TWO-COLOUR DOOR DOOR HEIGHT UP TO 2240 mm DOOR HEIGHT UP TO 2340 mm DOOR HEIGHT UP TO 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK	no extra charge	AMSTERDAM / MONTREAL HANDRAIL ELECTRIC STRIKE RECOMMENDED 1700 mm 1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1000 mm
TWO-COLOUR DOOR, TERRA PALETTE		1800 mm
RC3 PACK		AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE 1700 mm 1500 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1000 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON ELECTRIC STRIKE NECESSARY 1700 mm 1500 mm
KNOB-HANDLE		2000 mm
REED SWITCH		
SIZE 100E		ROSTOCK HANDRAIL 2000 mm
INSERT AND APPLICATION – OPPOSITE SIDE		DOOR SHORTENING (10, 20, 30, 40 mm)
INSERT – OPPOSITE SIDE		tedee PRO SET
INTEGRATED CLOSER		THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE		no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

TERRA COLOUR RANGE






KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



KPRB REGEN 6 B

standard HARDWARE RC2

THERMO PRIME

HANDLE-HANDLE PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

extra charge HARDWARE

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA


BERGEN

HANDRAIL-HANDLE PRAGA


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



KPE DREZNO 1



KPA ERFURT 1

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
KPE DREZNO 1 / KPBE DREZNO 1 B	✓	✓	-
KPH DREZNO 4 / KPHE DREZNO 4 B	✓	✓	✓
KPA ERFURT 1 / KPAB ERFURT 1 B	✓	✓	✓
KPB ERFURT 2 / KPBB ERFURT 2 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**


• SOLID DOOR	• WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
• 4 SIDES REBATED	• HARDWARE SET
• THERMO PREMIUM – DUOTHERM DOOR FRAME	• T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
• THERMO PRIME – ALUTHERM 75 DOOR FRAME	• THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
• HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR	• THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
• QUADRO INSERTS	• THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
• SINGLE-SIDED DESIGN	

EXTRA CHARGES

N POWDER COATING	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm	
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm	
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm	
THERMO PREMIUM – ALUTHERM DOOR FRAME		1800 mm
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK	no extra charge AMSTERDAM / MONTREAL HANDRAIL	1700 mm
3 POINT AUTOMATIC MORTISE LOCK	ELECTRIC STRIKE RECOMMENDED	1500 mm
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK		1000 mm
TWO-COLOUR DOOR, TERRA PALETTE	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
RC3 PACK		1700 mm
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM		1500 mm
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION		1000 mm
KNOB-HANDLE	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
REED SWITCH	ELECTRIC STRIKE NECESSARY	1500 mm
SIZE 100E	ROSTOCK HANDRAIL	2000 mm
INSERT AND APPLICATION – OPPOSITE SIDE	DOOR SHORTENING	
INSERT – OPPOSITE SIDE	KPH, KPA, KPBE (10, 20, 30, 40 mm)	
INTEGRATED CLOSER	KPF (10, 20, 30, 40, 60, 80, 100 mm)	
ELECTRIC STRIKE WITH DAY / NIGHT FEATURE	tedee PRO SET	
	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90–91, FULL EQUIPMENT LIST: PAGES 94–101

TERRA COLOUR RANGE





KPH DREZNO 4



INTERNAL SIDE



KPAB ERFURT 1 B



KPB ERFURT 2

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

THERMO PREMIUM

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

HANDRAIL-HANDLE PRAGA

BERGEN

BERGEN

BERGEN


BERGEN

BERGEN


1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

QUADRO INSERT COLOURS



HARDWARE COLOURS



TERRA COLOUR RANGE



* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



ELF DAVOS



ELA BRIG

DOOR SIZE	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM / ALUTHERM)	2076 mm / 2087 mm			

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
ELF DAVOS	✓	✓	✓
ELA BRIG	✓	✓	✓
ELB OLTEN	✓	✓	✓
ELC VISP	✓	✓	✓
ELD TRIN	✓	✓	✓
ELE BERNO	✓	✓	✓

RC2 STANDARD EQUIPMENT**

- SOLID DOOR
- 4 SIDES REBATED
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- THERMO PRIME – ALUTHERM 75 DOOR FRAME
- HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- ELITE-RAHMEN
- SINGLE-SIDED DESIGN
- WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- THERMO PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PREMIUM – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK

EXTRA CHARGES

N POWDER COATING	GALA COLOUR RANGE
	GALACTICA / GALA OPEN COLOUR RANGE
	INTERGALACTICA COLOUR RANGE
	TWO-COLOUR DOOR
CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME	DOOR HEIGHT UP TO 2240 mm
AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB)	DOOR HEIGHT UP TO 2340 mm
GALA, GALA OPEN, GALACTICA, INTERGALACTICA	DOOR HEIGHT UP TO 2400 mm
THERMO PREMIUM – ALUTHERM DOOR FRAME	REED SWITCH
N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK	SIZE 100E
THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK	FRAME – OPPOSITE SIDE
TWO-COLOUR DOOR, TERRA PALETTE	INTEGRATED CLOSER
RC3 PACK	ELECTRIC STRIKE WITH DAY / NIGHT FEATURE
CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM	DOOR SHORTENING (10, 20, 30, 40 mm)
THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION	tedee PRO SET
NOB-HANDLE	

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101

TERRA COLOUR RANGE

ALPINE WALNUT	MAHOGANY	BRAZILIAN WALNUT	LIGHT WALNUT	GOLDEN OAK	WINCHESTER	TURNER OAK
FRR	FMA	FRB	FRP	FDE	FDW	FDT



ELB OLTEN



ELC VISP



ELE BERNO



ELD TRIN

ELITE FRAMES

CLASSIC



MODERN



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



TERRA COLOUR RANGE


LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE




WHITE



ANTHRACITE



BLACK



**MORE COLOURS
ON PAGE 92**

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

THERMO PREMIUM

PRAGA

BERGEN

HANDLE-HANDLE

PRAGA

KNOB-HANDLE

PRAGA

BERGEN

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



NS1B MILANO 8 B



NS2 MILANO 9

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NS1 MILANO 8 / NS1B MILANO 8 B	✓	✓	✓
NS2 MILANO 9 / NS2B MILANO 9 B	✓	✓	✓
NS3 MILANO 10 / NS3B MILANO 10 B	✓	✓	✓
NS4 MILANO 11 / NS4B MILANO 11 B	✓	✓	✓
NS9 MILANO 12 / NS9B MILANO 12 B	✓	✓	✓

RC2 STANDARD EQUIPMENT**


- GLAZED DOOR LEAF
- T. PRIME, T. PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- THERMO PRIME – ALUTHERM DOOR FRAME
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- OPTIMA – PERFOTHERM DOOR FRAME
- T. PRIME, T. PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- APPLICATION ON DOOR PLANE
- DOUBLE-SIDED DESIGN
- HARDWARE SET
- THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- OPTIMA – ALUMINIUM THRESHOLD
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
- T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN
- T. PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK

EXTRA CHARGES


<p>N POWDER COATING</p> <p>CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME</p> <p>AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKf, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA</p> <p>DOOR FRAME: ALUTHERM 60 ALUTHERM 75</p> <p>N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK</p> <p>THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK</p> <p>TWO-COLOUR DOOR, TERRA PALETTE</p> <p>CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM</p> <p>THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION</p> <p>KNOB-HANDLE</p> <p>REED SWITCH</p> <p>SIZE 100E</p> <p>INTEGRATED CLOSER</p> <p>ELECTRIC STRIKE WITH DAY / NIGHT FEATURE</p>	<p>GALA COLOUR RANGE</p> <p>GALACTICA / GALA OPEN COLOUR RANGE</p> <p>INTERGALACTICA COLOUR RANGE</p> <p>TWO-COLOUR DOOR</p> <p>HEIGHT UP TO 1130 mm</p> <p>DOOR HEIGHT UP TO 2240 mm</p> <p>DOOR HEIGHT UP TO 2340 mm</p> <p>DOOR HEIGHT UP TO 2400 mm</p>	<p>1800 mm</p> <p>1700 mm</p> <p>1500 mm</p> <p>1000 mm</p> <p>1800 mm</p> <p>1700 mm</p> <p>1500 mm</p> <p>1000 mm</p> <p>1700 mm</p> <p>1500 mm</p> <p>2000 mm</p> <p>DOOR SHORTENING NS1, NS2, NS3, NS9 (10, 20, 30, 40 mm) NS4 (10, 20, 30, 40, 60, 80, 100 mm)</p>
	<p>AMSTERDAM / MONTREAL HANDRAIL</p> <p>ELECTRIC STRIKE RECOMMENDED</p>	<p>no extra charge</p>
	<p>AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE</p>	<p>no extra charge</p>
	<p>AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON</p> <p>ELECTRIC STRIKE NECESSARY</p>	<p>no extra charge</p>
	<p>ROSTOCK HANDRAIL</p>	<p>no extra charge</p>
	<p>tedee PRO SET</p>	<p>no extra charge</p>
	<p>THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK</p>	<p>no extra charge</p>

GLASS

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101



TERRA COLOUR RANGE





NS3 MILANO 10



NS4 MILANO 11



NS9 MILANO 12



NS1B MILANO 8 B
INTERNAL SIDE

standard HARDWARE RC2

HANDLE-HANDLE



PRAGA



BERGEN



PRAGA



BERGEN

extra charge HARDWARE

HANDLE-HANDLE



N

PRAGA

KNOB-HANDLE



N

PRAGA




BERGEN

HANDRAIL-HANDLE



N

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm



MONTREAL

AMSTERDAM

ROSTOCK

ONLY FOR HANDRAILS

INSERTS AND APPLICATION COLOURS

INOX



BLACK



TEMPO



APPLICATION
ON GLAZED
DOOR

HARDWARE COLOURS

PLATINUM ANODE




SILVER ANODE



BLACK ANODE



INOX



TERRA COLOUR RANGE

LIGHT WENGE



FEJ

STEEL-GRAY



FKZ

DARK ANTHRACITE



FKF

WHITE



FSB

ANTHRACITE



FKG

BLACK



FKC



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



NS5B HANOVER 5 B



NS6 HANOVER 6

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
NS5 HANOVER 5 / NS5B HANOVER 5 B	✓	✓	✓
NS6 HANOVER 6 / NS6B HANOVER 6 B	✓	✓	✓
NS7 INNSBRUCK / NS7B INNSBRUCK B	✓	✓	✓

RC2 STANDARD EQUIPMENT**


- GLAZED DOOR LEAF
- T. PRIME, T. PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- HARDWARE SET
- THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- OPTIMA – ALUMINIUM THRESHOLD
- THERMO PRIME – ALUTHERM DOOR FRAME
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- OPTIMA – PERFOTHERM DOOR FRAME
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT; BERGEN
- T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN
- T. PRIME, T. PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK
- APPLICATION ON DOOR PLANE
- DOUBLE-SIDED DESIGN

EXTRA CHARGES


<p>N POWDER COATING</p> <p>CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA DOOR FRAME: ALUTHERM 60 ALUTHERM 75</p>	<p>N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK</p> <p>THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK</p> <p>TWO-COLOUR DOOR, TERRA PALETTE</p> <p>CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM</p> <p>THERMO PREMIUM – UPPER ESCUTCHEON PROTECTION</p> <p>KNOB-HANDLE</p> <p>REED SWITCH</p> <p>SIZE 100E</p> <p>INTEGRATED CLOSER</p> <p>ELECTRIC STRIKE WITH DAY / NIGHT FEATURE</p>	<p>no extra charge</p>	GALA COLOUR RANGE	
			GALACTICA / GALA OPEN COLOUR RANGE	
			INTERGALACTICA COLOUR RANGE	
			TWO-COLOUR DOOR	
			HEIGHT UP TO 1130 mm	
			DOOR HEIGHT UP TO 2240 mm	
			DOOR HEIGHT UP TO 2340 mm	
			DOOR HEIGHT UP TO 2400 mm	
			AMSTERDAM / MONTREAL HANDRAIL	1800 mm
			ELECTRIC STRIKE RECOMMENDED	1700 mm
				1500 mm
				1000 mm
			AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
				1700 mm
				1500 mm
				1000 mm
			AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1700 mm
			ELECTRIC STRIKE NECESSARY	1500 mm
			ROSTOCK HANDRAIL	2000 mm
			DOOR SHORTENING NS6 (10, 20, 30, 40 mm) NS5 (10, 20, 30, 40, 60, 80, 100 mm)	
			tedee PRO SET	
			THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge


GLASS

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101



TERRA COLOUR RANGE





NS7 INNSBRUCK



NS7 INNSBRUCK INTERNAL SIDE



NS5B HANOVER 5 B




NS5B HANOVER 5 B INTERNAL SIDE

INSERTS AND APPLICATION COLOURS

INOX



BLACK



HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE

LIGHT WENGE



FEJ

STEEL-GRAY



FKZ

DARK ANTHRACITE



FKF

WHITE



FSB

ANTHRACITE



FKG

BLACK



FKC



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE

PRAGA

BERGEN

THERMO PREMIUM · OPTIMA

PRAGA

BERGEN

HANDLE-HANDLE

PRAGA

KNOB-HANDLE

PRAGA

BERGEN

HANDRAIL-HANDLE

PRAGA

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK



WOO PLAIN



WOO PLAIN

DOOR SIZE (THERMO PRIME, THERMO PREMIUM)	-	80	90N	90E	100E*
DOOR HEIGHT (DUOTHERM, PERFOTHERM / ALUTHERM)	2076 mm / 2087-2400 mm				
DOOR SIZE (OPTIMA)	80N	80	90N	90E	100E*

MODEL	THERMO PREMIUM 60	THERMO PREMIUM 75	THERMO PRIME 75
WOO PLAIN	✓	✓	✓

RC2 STANDARD EQUIPMENT**


- SOLID DOOR
- T. PRIME, T. PREMIUM – 4 SIDES REBATED
- OPTIMA – 3 SIDES REBATED
- THERMO PRIME – ALUTHERM DOOR FRAME
- THERMO PREMIUM – DUOTHERM DOOR FRAME
- OPTIMA – PERFOTHERM DOOR FRAME
- OPTIMA 50 – DOOR FRAME FB OR FN
- THERMO PRIME, THERMO PREMIUM – HINGES ADJUSTABLE IN THREE PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- OPTIMA – HINGES ADJUSTABLE IN TWO PLANES WITH CAPS MATCHING HARDWARE'S COLOUR
- THERMO PRIME, THERMO PREMIUM – WARM THRESHOLD WITH SUBTHRESHOLD EXTENSION, H=35 mm
- OPTIMA – ALUMINIUM THRESHOLD
- HARDWARE SET
- T. PRIME – LONG ESCUTCHEONS: PRAGA OR SPLIT: BERGEN
- T. PREMIUM – LONG ESCUTCHEONS: PRAGA OR BERGEN
- OPTIMA – LONG ESCUTCHEONS: PRAGA OR BERGEN
- THERMO PRIME – CLASS 5 LOCK CYLINDER, 5 POINT HOOK MORTISE LOCK OR 3 POINT AUTOMATIC MORTISE LOCK
- THERMO PREMIUM, OPTIMA – CLASS 5 LOCK CYLINDER, KEYED ALIKE SYSTEM, BOLT LOCK

EXTRA CHARGES


<p>N POWDER COATING</p>	GALA COLOUR RANGE	
	GALACTICA / GALA OPEN COLOUR RANGE	
<p>CUSTOM HEIGHT, INCREMENTS EVERY 50 mm, ONLY WITH ALUTHERM DOOR FRAME</p> <p>AVAILABLE COLOURS: TERRA (FRP, FDE, FDW, FDT, FKG, FKF, FSB), GALA, GALA OPEN, GALACTICA, INTERGALACTICA</p> <p>DOOR FRAME: ALUTHERM 60, ALUTHERM 75</p>	INTERGALACTICA COLOUR RANGE	
	TWO-COLOUR DOOR	
	HEIGHT UP TO 1130 mm	1800 mm
	DOOR HEIGHT UP TO 2240 mm	1700 mm
<p>N THERMO PREMIUM – 5 POINT HOOK MORTISE LOCK 3 POINT AUTOMATIC MORTISE LOCK</p> <p>THERMO PREMIUM – AUXILIARY LOCK FOR MORTISE LOCK 2-HOOK</p>	AMSTERDAM / MONTREAL HANDRAIL	1500 mm
	ELECTRIC STRIKE RECOMMENDED	1000 mm
<p>TWO-COLOUR DOOR, TERRA PALETTE</p>	AMSTERDAM / MONTREAL HANDRAIL WITH PUSHBUTTON, WITH DOOR LEAF ADJUSTMENT AND ELECTRIC STRIKE	1800 mm
		1700 mm
<p>RC3 PACK</p> <p>CLASS 6 LOCK CYLINDERS, KEYED ALIKE SYSTEM</p>	AMSTERDAM HANDRAIL WITH WIRELESS PUSHBUTTON	1500 mm
	ELECTRIC STRIKE NECESSARY	1500 mm
<p>THERMO PREMIUM, OPTIMA – UPPER ESCUTCHEON PROTECTION</p> <p>KNOB-HANDLE</p>	THERMO PREMIUM, THERMO PRIME – ROSTOCK HANDRAIL	2000 mm
	DOOR SHORTENING (10, 20, 30, 40, 60, 80, 100 mm)	
<p>REED SWITCH</p> <p>SIZE 100E</p>	tedee PRO SET	
	THERMO PRIME, THERMO PREMIUM – INTEGRATED CLOSER	
<p>ELECTRIC STRIKE WITH DAY / NIGHT FEATURE</p>	THERMO PREMIUM – RING ESCUTCHEON FOR DOOR WITH HANDRAIL AND MORTISE LOCK	no extra charge

FIXED GLAZED SIDE PANELS: PAGES 90-91, FULL EQUIPMENT LIST: PAGES 94-101


ALPINE WALNUT




MAHOGANY




BRAZILIAN WALNUT




LIGHT WALNUT




GOLDEN OAK



WINCHESTER



TURNER OAK





WOO PLAIN



WOO PLAIN



WOO PLAIN



WOO PLAIN INTERNAL SIDE

standard HARDWARE RC2

extra charge HARDWARE

THERMO PRIME

HANDLE-HANDLE PRAGA

BERGEN

THERMO PREMIUM • OPTIMA

PRAGA

BERGEN

HANDLE-HANDLE PRAGA

KNOB-HANDLE PRAGA

BERGEN

HANDRAIL-HANDLE PRAGA

BERGEN

1000 mm
1500 mm
1700 mm
1800 mm
2000 mm

MONTREAL
AMSTERDAM
ROSTOCK

HARDWARE COLOURS

PLATINUM ANODE



SILVER ANODE



BLACK ANODE



INOX



ONLY FOR HANDRAILS

TERRA COLOUR RANGE

LIGHT WENGE



STEEL-GRAY



DARK ANTHRACITE



WHITE



ANTHRACITE



BLACK



MORE COLOURS
ON PAGE 92

* EXTRA CHARGE

** FOR GLAZED DOORS RC2N



SET GL



SET G



SET GP



SET L

SIDE GLAZED PANELS*

HEIGHT Hz	GLAZED PANEL / GLASS TYPE	WIDTH Ld/Pd						
		up to 300 mm	up to 400 mm	up to 500 mm	up to 600 mm	up to 700 mm	up to 800 mm	up to 900 mm
2087 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2200 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓
do 2400 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓	✓	✓
	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓	✓	✓

SIDE GLAZED PANEL STANDARD WIDTH IN 50 MM INCREMENTS. FOR 10 MM INCREMENTS – EXTRA CHARGE +25%

ALUTHERM DOOR FRAME		
SIZE	HEIGHT Hz	WIDTH Sc
80	standard 2087 mm	918 mm
90N	not standard: 2150 mm	988 mm
	2200 mm	
90E	2250 mm	1031 mm
	2300 mm	
100E	2350 mm	1131 mm
	2400 mm	

FOR DOORS WITH INTEGRATED CLOSER DOOR FRAME TOTAL HEIGHT +3,5 mm.

POWDER COATING*

N

	SIDE/ TOP GLAZED PANEL
GALA PALETTE	✓
GALACTICA PALETTE	✓
INTERGALACTICA PALETTE	✓
GALA OPEN PALETTE	✓

To get complete price for set please sum up:

for THERMO PRIME:

- door price
- side / top panel price

for THERMO PREMIUM I OPTIMA:

- door price
- ALUTHERM door frame extra charge,
- side / top panel price



SET P



SET LP




SET LGP







TOP GLAZED PANELS*


HEIGHT Hd	GLAZED PANEL / GLASS TYPE	WIDTH Ld/B/Pd				
		up to 1150 mm	up to 1550 mm	up to 1950 mm	up to 2350 mm	up to 2950 mm
300 mm	PANEL WITH SAFETY GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓
300 mm	ANTI-BULGLARY RC2 PANEL WITH P4 GLASS	✓	✓	✓	✓	✓
400 mm		✓	✓	✓	✓	✓
500 mm		✓	✓	✓	✓	✓

TOP GLAZED PANEL STANDARD WIDTH IN 50 MM INCREMENTS. FOR 10 MM INCREMENTS – EXTRA CHARGE +25%



* EXTRA CHARGE





**FDE
GOLDEN OAK**
wood texture
vertical pattern
semi gloss




**FDW
WINCHESTER**
wood texture
vertical pattern
semi gloss



**FDT
TURNER OAK**
wood texture
vertical pattern
matte



**FEJ
LIGHT WENGE**
wood texture
vertical pattern
semi gloss



**FKF
DARK ANTHRACITE**
wood texture
vertical pattern
semi gloss



**FKZ
STEEL-GRAY**
wood texture
vertical pattern
semi gloss


TWO-COLOURED DOOR*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.


www.konfigurator.gerda.pl



You are welcome to use the reliable tool that is the Gerda online door configurator. With its help you can intuitively design a door to suit your needs. In addition, you can immediately see the visualization of your dream door.



**FPI
PISTACHIO**
grain texture



**FKU
LIGHT GREEN**
grain texture



**FKK
DARK GREEN**
grain texture



any colour
outer side

any colour
inner side

STANDARD HARDWARE FOR MORTISE LOCKS

STANDARD HARDWARE FOR BOLT LOCKS

HANDLE-HANDLE

PRAGA
HANDLE-HANDLE
LONG ESCUTCHEON

BERGEN
HANDLE-HANDLE
SPLIT ESCUTCHEON
with cylinder protection

TÜRGRIF-FÜRGRIF

PRAGA
HANDLE-HANDLE
LONG ESCUTCHEON
AUXILIARY LOCK
ESCUTCHEON

BERGEN
HANDLE-HANDLE
LONG ESCUTCHEON
with cylinder protection
AUXILIARY LOCK
ESCUTCHEON

CYLINDERS SET, KEYED ALIKE SYSTEM, AB SYSTEM (for doors with mortise locks – single cylinder)	CLASS 5
NUMBER OF KEYS	5 + 2
PRAGA OR BERGEN ESCUTCHEON	to choose from
HINGE CAPS MATCHING FITTING'S COLOUR	✓

EVO – CLASS 5 LOCK CYLINDER



SECURITY CLASS	CLASS 5
MECHANISM DURABILITY	100 000 cycles
NUMBER OF PINS	12 pins: 9 in two rows and 3 side pins
KEY TYPE	horizontal drilled
NUMBER OF KEY CODE COMBINATIONS	9 300 000
RESISTANCE TO BURGLARY CLASS	C
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened nickel-plated anti-drilling pins in the body
N EMERGENCY FUNCTION (standard for HANDLE-HANDLE)	✓
NUMBER OF KEYS	5 keys made of 'new silver' (for final user) + 2 brass keys (for installer)
OTHER	code card
WARRANTY	2 years
tedee READY	no

SYSTEM AB

A

2 x Installer's keys
Installer's key „A“ operates the cylinder until „B“ key is used by final user.

B

5 x final keys
Use of „B“ key deactivates installer's keys. A sealed opaque bag includes set of „B“ keys and code card.

NOTE! The lock cylinder will reach its final protection level after activation with "B" key.



HARDWARE COLOURS

PLATINUM ANODE	SILVER ANODE	BLACK ANODE	INOX
			<small>ONLY FOR HANDRAILS</small>

CYLINDER COLOURS

SATINE NICKEL	BLACK NICKEL

EXTRA CHARGE HARDWARE

 <p>HANDLE-HANDLE outside inside</p>	 <p>KNOB-HANDLE outside inside</p>	 <p>outside inside</p>	 <p>HANDLE-HANDLE outside inside</p>	 <p>HANDLE-HANDLE outside inside</p>
<p>PRAGA LONG ESCUTCHEON with cylinder protection AUXILIARY LOCK ESCUTCHEON with cylinder protection</p>	<p>PRAGA LONG ESCUTCHEON with cylinder protection/ without cylinder protection</p>	<p>BERGEN LONG ESCUTCHEON with cylinder protection</p>	<p>MONTREAL + BERGEN HANDRAIL RING ESCUTCHEON or ESCUTCHEON FOR HANDRAIL with cylinder protection SPLIT ESCUTCHEON</p>	<p>AMSTERDAM + PRAGA HANDRAIL ESCUTCHEON FOR HANDRAIL with cylinder protection/ withOUT cylinder protection LONG ESCUTCHEON</p>

THERMO PREMIUM – AUXILIARY LOCK CYLINDER WITH PROTECTION	✓
KNOB-HANDLE SET	✓
6 CLASS LOCK CYLINDERS, KEYED ALIKE SYSTEM	✓
ADJUSTMENT FOR HANDRAIL WITH PUSHBUTTON	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm, ELECTRIC STRIKE RECOMMENDED	✓
HANDRAIL AMSTERDAM / MONTREAL 1800 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1700 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1500 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM / MONTREAL 1000 mm WITH PUSHBUTTON AND ADJUSTMENT FOR HANDRAIL AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1700 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL AMSTERDAM 1500 mm WITH WIRELESS PUSHBUTTON AND ELECTRIC STRIKE	✓
HANDRAIL ROSTOCK 2000 mm (ONLY FOR OUTWARD OPENING DOORS)	✓
tedee PRO SET	✓

VITA – CLASS 6 LOCK CYLINDER



SECURITY CLASS	CLASS 6
MECHANISM DURABILITY	100 000 cycles
NUMBER OF PINS	6 active pins
KEY TYPE	vertical incised
NUMBER OF KEY CODE COMBINATIONS	100 000
RESISTANCE TO BURGLARY CLASS	D
RESISTANCE TO CORROSION CLASS	C
FIRE RESISTANCE	✓
ANTY-DRILLING	two steel hardened anti-drilling pins in the body and cylinder
EMERGENCY FUNCTION	standard in key-key version
NUMBER OF KEYS	5 brass nickel-plated keys (for final user) + 2 brass keys (for installer)
OTHER	security card
WARRANTY	5 years (registered product)
tedee READY	✓

HANDRAILS

The visualizations show the door of a standard height of 2076 mm.



GERDA[®]



Authorized dealer in Canada:

ENTRY DOORS TORONTO INC.

7321 Victoria Park Ave. unit 20
L3R2Z8 Markham, Ontario Canada
office phone: 416-800-7737,
mobile business line: 647-800-1627
<https://www.entrydoors-toronto.com/>
e-mail: info@entrydoors-toronto.com